

POWER IN AN EXTRA LARGE SIZE







The scrubbing machine that changes the user experience from the very first glance

The shape of the machine inspires a sense of safety and control, thanks to the harmonious and balanced design that promises a user experience that is out of the ordinary.

MxL has the power you need to work in any environment and under the most difficult conditions, as a result of its careful design, which combines high-performance components with the most advanced technology. As soon as you turn it on, you can feel the value of a machine created to enhance the professional results of every cleaning operation, with innovative features that provide operators with all the tools necessary to successfully complete their work.









Its robust design is not afraid of any environment

The wrap-around lines delineate an enveloping structure made from polyethylene, which protects the heart of the machine and enhances its robust appearance.





The brush head and the squeegee are made from aluminum, a material chosen for its durability and reliability over time as well as for its lightness, to provide you with better manoeuvrability and comfort.

MxL gives more value to your time: it reduces downtimes and increases productivity



ACCESSORY STORAGE COMPARTMENT

The operator can work in absolute tranquility in the knowledge that when he needs them, all the accessories are close at hand, and once finished with, these can easily be placed back in their compartment, allowing the cleaning operation to proceed without long interruptions and wasted time.



QUIET OPERATIONS

 \mathbf{X}

With the Eco Mode and FNC technologies that lower the noise level, MxL safeguards the health of the operator and that of the people in the environment where it is used.



EASY MAINTENANCE - COLOR CODED PARTS Parts which must be cleaned at the end of every shift are color coded in yellow. Regular maintenance of these parts ensures the correct operation of the machine, along with consistent performance.





FFF – FIMAP FAST FILL Automatic system for filling the fresh water tank, lets the operator perform other activities while the tank quickly fills up.

NO TRAINING

No doubt will keep you from your work. The integrated video tutorials on the display demonstrate how to perform routine and extraordinary maintenance, to prevent uncertainty and wasted time.



The spray gun has a dual role. During machine maintenance, it facilitates the rinsing of the tanks at the end of the shift, but it can also be used during the work, to moisten stubborn dirt stains and make them easier to remove.



Powerful and versatile, it is always ready to meet your goals



POWER MODE

When performing localized heavy duty cleaning, pressing the Power mode function activates a work mode that uses all the scrubbing parameters to the maximum, for a short period of time. This enables the machine to act with greater force on a specific area just for the time needed, without wasting resources and having to resort to passing over the area more than once.





Consistent cleaning results Pressure on the brushes is kept constant, delivering consistent high cleaning results on any type of flooring.



FLR-FIMAP LONG RANGE Increases productivity by up to 70%.




No risk of slipping The powerful 3-stage vacuum motor leaves the floor immediately dry and safe.

Great autonomy Work for up to 5 hours non-stop.



VACUUM WAND

Vacuum wand allows to clean areas that are out of reach of the machine and successfully fulfill the task.





Equipped to give you safety and protection

The equipment on the MxL prevents accidents, increases safety while working and supports the operator at all times, so that everything is always under control, without ever encountering difficulties.

ACTIVE TECHNOLOGIES to prevent accidents





ELECTROBRAKE



PASSIVE SYSTEMS to help the operator in case of emergency



Reduces time to service in case of emergency. The red button sends an SMS alert to receive prompt help, reducing downtimes.

SOS DEVICE



By pressing a single button the machine stops immediately.

EMERGENCY STOP



iD-intelligent Drive











Touch Screen Display

R



PAS SWQ RD

ZONE

CRUISE CONTROL

SUSTAINABLE CLEANING

SEVERE CLEANING

You will feel like you have always known how to use it

The color interface is so user-friendly that it needs no explanation, just a glance is all it takes to have everything under control. Through the touch screen, you can explore all the solutions of the iD – intelligent Drive system, which will make every operation unique.



LOG-IN WITH PASSWORD To protect your investment



ZONE PROGRAMS For all the performance you'll ever need



ECO MODE To protect the environment


POWER MODE For maximum power when you need it

VIDEO TUTORIALS For a more efficient, fast and easy operator training



EXPERIENCE CONNECTIVITY

Discover the FFM universe and experience the advantages of being constantly connected, with My.Machine app!





Watch the video



Keep tabs on your machines remotely when you want and from wherever you want!

Developing new technology to improve efficiency is one of the core missions of Fimap.

An example of this is FFM, the Fimap Fleet Management system which collects the data sent by the machines and transforms it into valuable information accessible to you easily in real time, 24/7, from your smartphone, through the app My.Machine.

Being constantly connected to your machines will help you operate them even more efficiently and effectively. My.Machine lets you know where the machines are, if the operation is being carried out according to plans and at the scheduled time. The machine's health status is constantly monitored. In the very unlikely event of a breakdown, you'll receive an alert notification directly on your smartphone, allowing you to take action promptly and immediately call the technical support.

You can check the battery conditions and the quality of the charges in order to optimize battery endurance and life cycle.



GEOLOCALISATION



USAGE INFORMATION



HEALTH STATUS

ENVIRONMENTAL IMPACT

You know where your machines are

You know how your machines are used

You know the health status of machines and batteries You can check the machine consumption per intervention



Protect the environment with efficient management of resources

With better management of resources, you can clean more sq.m with the same levels of consumption, avoiding waste. Fimap technologies optimize the use of water, detergent and energy to protect the environment and reduce the cost of cleaning per sq.m.



The Eco Mode function helps prevent water, detergent and energy consumption by using only the quantities you need and nothing more.



When the machine is idle, the brush motor, the vacuum motor*, the traction and the water flow will turn off automatically, reducing costs and emissions. All the functions are reactivated automatically when the operator presence control is operated.

WATER



FLR-FIMAP LONG RANGE

Reduces water and detergent consumption per cleaning operation by up to 66%* This is a system which recycles detergent solution to increase autonomy: to scrub more sq.m. while using less resources.



FSS-FIMAP SOLUTION SAVER Water and detergent quantities are separately dosed, reducing consumption by up to 50%.



FWF-FIMAP WATER FLOW Ensures uniform cleaning results across the entire working width on the first pass, optimizing detergent solution consumption.

X

NOISE LEVELS



FNC-FIMAP NOISE CANCELLING Reduces sound pressure.



ENERGY



FES-FIMAP ENERGY SAVER Reduces energy consumption by up to 35%.

LED TECHNOLOGY

Up to 80% lower energy consumption than conventional headlights. The LED headlights consume much less energy than conventional headlights, offer a longer lifespan and illuminate with a brilliant white light similar to natural daylight.





Make it perfect for you: configure it with the characteristics that are ideal for your needs

Choose your machine



DISC with 2 disc brushes or 2 pad holders. CYLINDRICAL with 2 cylindrical brushes and a debris hopper for small sized solid debris.



MxL DISC

The brush head with disc brushes is the most versatile option, as this can adapt to all types of hard floors, both smooth and irregular, in any environment. The force of the two brushes easily removes even stubborn dirt.

MxL CYLINDRICAL

The brush head with cylindrical brushes combines the scrubbing action with a sweeping action, which reduces the operation time when it comes to cleaning floors on which small solid residues are present, avoiding the need to sweep before scrubbing. The residues are collected in a drawer installed at the rear of the brush head, which is removable for emptying.



With flexible equipment options, you can configure it in the most convenient and beneficial way for you

Choose the instrument panel



Basic



Membrane control panel





Touch screen display

OPTIONALS AND ACCESSORIES

OPTIONALS



Vacuum wand

Spray gun



Front driving LED headlights




FLR-FIMAP LONG RANGE





E-Spray holder hooks

ACCESSORIES





A wide choice of disc or cylindrical brushes in PPL is offered, available in thicknesses from 0.3 to 0.9 cm. These offer the perfect solution for dealing with any type of dirt on any floor.

Abrasive brushes: Ideal for heavy duty cleaning on industrial surfaces.



FFF - FIMAP FAST FILL



Battery charger on board



FFM-FIMAP FLEET MANAGEMENT



Squeegee holder accessory




Rear squeegee rubber blades 33 SHORE (PARA) For maintenance cleaning of smooth floors. 40 SHORE (PARA) For stubborn dirt on floors with joints. POLYURETHANE For heavy duty cleaning on industrial floors, even with wide gaps.


OPTIONAL AND STANDARD EQUIPMENT

			CYLINDRICAL									
USER EXPERIENCE	65 Bt	65 Bt Pro	65 Bt Plus	75 Bt	75 Bt Pro	75 Bt Plus	85 Bt	85 Bt Pro	85 Bt Plus	70 Bts	70 Bts Pro	70 Bts Plus
iD-Intelligent Drive:	-	-	•	-	-	•	-	-	•	-	-	•
- 5 inch high resolution colour touch screen	-	-	•	-	-	•	-	-	•	-	-	•
- Log-in with password	-	-	•	-	-	•	-	-	•	-	-	•
- Zone programs	-	•	•	-	•	•	-	•	•	-	•	•
- Cruise control	-	•	•	-	•	•	-	•	•	-	•	•
- Eco Mode	•	•	•	•	•	•	•	•	•	•	•	•
- Power Mode	-	-	•	-	-	•	-	-	•	-	-	•
- Video tutorials	-	-	•	-	-	•	-	-	•	-	-	•
Membrane control panel	-	•	-	-	•	-	-	•	-	-	•	-
COMFORT												
Hour meter	•	•	•	•	•	•	•	•	•	•	•	•
Cleaning solution level indicator	•	•	•	•	•	•	•	•	•	•	•	•
Fresh water empty tank light	-	-	•	-	-	•	-	-	•	-	-	•
Battery charger	0	0	0	0	0	0	0	0	0	0	0	0
Brush and squeegee actuator	-	-	•	-	-	•	-	-	•	-	-	•
Brush head actuator	-	•	-	-	•	-	-	•	-	-	•	-
Brush head manual lifting	•	-	-	•	-	-	•	-	-	•	-	-
Squeegee manual lifting	•	•	-	•	•	-	•	•	-	•	•	-
Vacuum wand with 3-stage motor*	-	0	0	-	0	0	-	0	0	-	0	0
Spray gun*	-	0	0	-	0	0	-	0	0	-	0	0
Squeegee holder accessory	0	0	0	0	0	0	0	0	0	0	0	0
E-Spray holder hooks	0	0	0	0	0	0	0	0	0	0	0	0
FFF (Fimap Fast Fill)	-	0	0	-	0	0	-	0	0	-	0	0
Noiseless suction	-	•	-	-	•	-	-	•	-	-	•	-
PRODUCTIVITY												
Water flow selector	-	•	•	-	•	•	-	•	•	-	•	•
Triple pressure selector	-	-	•	-	-	•	-	-	•	-	-	•
Double pressure	-	•	-	-	•	-	-	•	-	-	•	-
FFM (Fimap Fleet Management) with SOS device	0	0	0	0	0	0	0	0	0	0	0	0
Squeegee and squeegee support in aluminum	•	•	•	•	•	•	•	•	•	•	•	•
Vacuum speed selector	-	-	•	-	-	•	-	-	•	-	-	•
SAFETY		1			1			1				
Driving LED headlights (front)	0	0	•	0	0	•	0	0	•	0	0	•
Emergency Stop	•	•	•	•	•	•	•	•	•	•	•	•
Electro parking brake	•	•	•	•	•	•	•	•	•	•	•	•
		1			1			1				
FSS (Fimap Solution Saver)**	-	0	0	-	0	0	-	0	0	-	0	0
FLR (Fimap Long Range)**	-	0	0	-	0	0	-	0	0	-	0	0
FNC (Fimap Noise Canceling)	•	-	-	•	-	-	•	-	-	•	-	-
FES (Fimap Energy Saver)	•	•	•	•	•	•	•	•	•	-		
FWF (Fimap Water Flow)	•	•	•	•	•	•	•	•	•	-	-	-
Start&Stop	•	-	•	•	-		•	-	•		•	


 * In PRO versions the two devices cannot be installed together

DIMENSIONS AND TECHNICAL DATA





75 Bt: 1514 mm 85 Bt: 1542 mm 70 Bts: 1471 mm



65 Bt/75 Bt/70 Bts: 885 mm 85 Bt: 985 mm

		7	J DIS: 14/1											
		DUAL DISC									CYLINDRICAL			
TECHNICAL DATA - MxL		65 Bt	65 Bt Pro	65 Bt Plus	75 Bt	75 Bt Pro	75 Bt Plus	85 Bt	85 Bt Pro	85 Bt Plus	70 Bts	70 Bts Pro	70 Bts Plus	
Productivity theoretical	up to sqm/h	2620		3000			3400			2580				
Estimated coverage	up to sqm/h			1913		2100			1613					
SCRUBBING SYSTEM														
Working width	mm	655			765			840			645			
Brushes motors	(no.) V/W				(2) 24/500						(2) 24/450			
Brushes rpm	rpm/min				140						550			
Pressure on the brushes (min med max)	kg	33	33÷55	33÷45÷55	35	35÷57	35÷45÷57	38	38÷60	38÷45÷60	33	15÷40	15÷30÷40	
TANKS AND RECOVERY SYSTEM														
Solution tank	I		·			·	7	4	·	· .		·		
Recovery tank	1	85												
Suction motor	V/W	24/422												
Vacuum water lift	mbar	112												
3-stage vacuum motor (for vacuum wand)	V/W	-	24/680		-	24/680		-	24/680		-	24/680		
Vacuum water lift (3-stage motor)	mbar	-	166		-	166		-	166		-	166		
Detergent tank capacity (FSS)	1						3	}						
Maximum volume of the debris hopper	1				-						8			
BATTERIES														
Supply/traction	V		1			1	24/3	aut.				1		
			-				(4) 6/1		-					
Batteries	(no.) V/Ah C5						(4) 6/2							
Battery run time*	up to h	5	5 4,4		5			5 4,4		1,4	4,5			
PROPELLING SYSTEM														
Forward working speed	km/h		1			1	1	1	1	<u> </u>				
Transport speed	km/h	4,9												
Traction motor	V/W	(1) 24/300												
	.,													
SPECIFICATIONS														
		1497 1093 701		1514		1542			1471					
Machine dimensions (I x h x w)	mm				1093			1093			1093			
				795			878			733				
Squeegee width	mm		785		885		985			885				
Machine weight empty without batteries	kg	186		91	188	1	93	191	1	96	187	1	92	
Machine weight empty with batteries	kg	310	3	15	312	3	17	315	3	20	311	3	16	
GVW (Gross Vehicle Weight)	kg	387	4	00	389	4	02	392	4	05	388	4	10	
Sound level (ISO 11201)	dB (A)	<70												

* Run times are based on continuous scrubbing run times

CONSULTING AND PLANNING



We put our experience at your service, to help you realize the cleaning project perfect you. We suggest you the best solutions to make costs decrease and service quality increase.

SETUP



We can help you set up your machines in order to make them meet specifically the requirements of the sites of your project, allowing you to always have control over costs and results.

AUTHORIZED WORKSHOP NETWORK



Fimap Authorized Workshop network spans the globe, so you can enjoy the peace of mind of finding a professional support wherever your business is.

SERVICES

CONFIGURATION



Your business is unique, only a customized fleet can lead you to better results. We will help you find the configurations that best fit the specific requirements of your cleaning sites, in order to optimize processes and lower costs.

TRAINING COURSES



Fimap Academy offers courses for all levels, from the correct use of machines and technologies, up to the management of sites and tenders, helping you to make your service really competitive.

MAINTENANCE AND REPAIR



For your business to run smoothly it is essential that your machines are kept always operational. Our technicians take care of monitoring the machines health status and know how to intervene quickly and effectively when needed.

CERTIFICATIONS





You can choose to use the fleet in different ways. We can advise you on the best financial solution for your business, so that you can get the quality of the Fimap world at the most convenient conditions for you.

DIGITAL FLEET MANAGEMENT SYSTEM



With Fimap Fleet Management everything is under your control. You can have a complete overview of the service provided and find out the improvements that can be made, basing your considerations on real data, always available via the My.Machine app or FFM website.

GENUINE SPARE PARTS



Get the most out of your machines, choose the reliability of Fimap original spare parts. They are designed together with the machines, so they perfectly fit them thus guaranteeing the highest quality of performance.



For any additional information or for a demo please contact your usual Fimap dealer



FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com

f in 🖸 🖌 🞯

